

S**[®]UND OUT**[™]



SOUND OUTTM TIDE

Acoustical PET panels distinguished by their wavy pattern. Tide is available for a variety of applications, all offering acoustical solutions. Tide can be applied to the wall both vertically and horizontally.

• Product:

Sound Out™ Tide

• Composition: 100% Polyester Fiber (PET)

32"

- Panel Thickness:
- Width:
- Height:
- Lead Time:
- Acoustics:
- Environmental:
- 94" 6-8 weeks
- Testing in progress

~1.4" (35mm)

Contains 100% previously recycled polyester fiber.



sales@dfbsales.com

S**[®]UND** OUT[™]



SOUND OUT[™] TIDE BAFFLES

Horizontal hanging baffles suspended from the ceiling. Tide Baffles can stand alone, be grouped with multiple hanging Baffles, or paired with our Tide wall panels, for ultimate sound absorption.

Product: •

Sound Out[™] Tide Baffle

- **Composition:** •
- Panel Thickness: •
- Width: •
- Length:
- Cable Height:
- Hardware:
- Lead Time: •
- Acoustics: •
- **Environmental:**

- 100% Polyester Fiber (PET)
 - ~1.4" (35mm)
- 32"
- 64"
- Custom
 - Powder-coated Aluminum
- 6-8 weeks
 - Testing in progress
 - Contains 100% previously recycled polyester fiber.



Color Options





KP-28



Color Options



