

DFB

DRAPERIES FOR BUSINESS



DFB's multipurpose draperies offer a wide range of styles for commercial and residential spaces. Our draperies are manufactured in Long Island City, NY and installed by DFB's skilled technicians.

WHAT IS THE USE

- Light control/room darkening
- Privacy/open office
- Aesthetics
- Thermal control/energy conservation
- Acoustics



CHOOSE YOUR DRAPERY FABRIC

DFB will bring your vision to life, using the fabric specified by designers.



SHEERS

Offer a decorative & sophisticated look, all while preserving transparency and outward visibility.



PRIVACY

Provides the option for a private or open office concept.

Privacy zones include wellness areas, quiet spaces, semi-enclosed focus rooms, and room dividers.




HEAVYWEIGHT


Maximum privacy, providing a more semi permanent option.




UNDERSTANDING DRAPERY




CHOOSE YOUR DRAPERY HEADING




RIPPLEFOLD




PINCH PLEAT



BOX PLEAT



GROMMET WITH POLE



GROMMET WITH HOOKS

RIPPLEFOLD

Ripplefold is the most popular option. This heading traverses the track or hardware without friction, creating a floating aesthetic. Ripplefold headings are hung below the track or hardware on snap.

BOX PLEAT

This style uses flat pleating to create a more geometric aesthetic. Box Pleat often requires the application of a heavy-duty buckram.

GROMMET WITH HOOKS

This modern and functional heading is also available with hooks. Hanging below the track, single hooks are attached to each grommet, securing the drapery to the track.

PINCH PLEAT

The most traditional heading, offering a clean look that can be applied in a wide range of interiors. Each pleat is composed of three evenly spaced folds.


GROMMET WITH POLE

Grommet creates a uniform, structured look. Equidistant circles are cut, and metal grommets are secured, allowing the curtain rod to slide through seamlessly.

DETERMINE DRAPERY FULLNESS


The amount of extra fabric used (view from top).

120%




Common with
Sheer & Privacy
Draperies

100%



Common with
Heavyweight
fabric due
to weight on
track & ceiling

80%



FABRIC LINING (OPTIONAL)

Positioned behind the drapery fabric, standard liners are white, flame retardant fabrics used to create a “fuller” look. Blackout liners are available for those who prefer draperies with the option of total light blockage.


STACKING: Determined by the thickness of material & fullness. Stacking is 30-40% of the opening.

DETERMINE DRAW STYLE

One way pull: For draperies stacking to one side (right or left).



Center Opening: For draperies stacking equally on both sides.



Off-center opening: For right and left side panels that are made with different widths when the area being covered is not centered on a wall.





HEMS (OPTIONAL)

The standard option for drapery hems are 1 1/2” double-turned side hems, & 4” double-turned bottom hems. Hems are dependent on project specifications and details, including location of the draperies & fabrics used.



RECOMMENDED DRAPERY HARDWARE

Hand-Drawn Cordless Track Systems (Light to medium drapery fabrics)

SERIES	DETAILS	CONDITIONS	DRAPERY TYPES
94003		<ul style="list-style-type: none"> One-way draw 20 ft. Two-way draw 40 ft. Can be curved/bent using 12 in. radius Ceiling/wall mount 	<ul style="list-style-type: none"> Ripplefold* Pinch Pleat Cubicle
94004		<ul style="list-style-type: none"> One-way draw 20 ft. Two-way draw 40 ft. Cannot be curved Ceiling mount only 	<ul style="list-style-type: none"> Ripplefold* Pinch Pleat Cubicle

Draw-Cord Systems (Light to medium drapery fabrics)



Track sets are opened and closed using a traverse cord. A continuous cord loop permits use of a cord tension pulley.

SERIES	DETAILS	CONDITIONS	DRAPERY TYPES
93001		<ul style="list-style-type: none"> One-way draw 16 ft. Two-way draw 32 ft. Can be curved/bent using 12 in. radius Ceiling/wall mount 	<ul style="list-style-type: none"> Ripplefold* Pinch Pleat Cubicle
94001		<ul style="list-style-type: none"> One-way draw: <ul style="list-style-type: none"> 16 ft. 1/2" pulley 20 ft. 1" pulley Two-way draw: <ul style="list-style-type: none"> 32 ft. 1/2" pulley 40 ft. 1" pulley Can be curved/bent using 12" radius. Ceiling/wall mount 	<ul style="list-style-type: none"> Ripplefold* Pinch Pleat Cubicle

*Maximum length for one-way-draw Ripplefold track systems is 16 ft.


For better operation, Ball-Bearing Carriers/Masters are available with these track systems. Ball-Bearing Carriers are suitable with Pinch Pleat, Box Pleat, & Grommet draperies, while Ball-Bearing Masters are universal and suitable for Ripplefold draperies.

U Channel & I Beam Tracks (Privacy + heavyweight drapery fabrics)


SERIES	DETAILS	CONDITIONS	DRAPERY TYPES
ADC Besteel Model 173 U Channel		<ul style="list-style-type: none"> Can be curved/bent Ceiling mount, suspended, or clamped to pipe grid. Walk-a-long operation only with standard carrier. 2"x1.75" 173 Series=Silver 273 Series=Black 	<ul style="list-style-type: none"> Box Pleat Grommet
ADC Rig-I-Flex 140 Series I BEAM		<ul style="list-style-type: none"> Can be curved/bent. Ceiling mount, suspended, or clamped to pipe grid. Track length shouldn't exceed 60'. 140 Series= Silver 142 Series= Black 	<ul style="list-style-type: none"> Pinch Pleat Box Pleat

TYPICAL DETAIL DRAWINGS (Applicable to tracks on page 12)


Drapery tracks can be recessed, surface mounted (from wall or ceiling), or suspended, as seen below.




Manual Ripplefold Drapery
Ceiling Mount-Side by Side




Manual Ripplefold Drapery
Recessed Pocket (header + track recessed)



Manual Ripplefold Drapery
Recessed Pocket (track only)




Manual Ripplefold Drapery
Wall Mount




Suspended Drapery

TYPICAL DETAIL DRAWINGS

(Applicable to U Channel & I Beam tracks on page 13)



Model 173 U Channel



140 Series I Beam

Motorized Draperies are available upon request.

Please contact sales@dfbsales.com or 718-729-8310 for additional information.

